

LED A-BULB

HIGHLIGHT ENERGY SAVING // 5-18W



Imported PC material lampshade



PBT new heat dissipation lamp body



B22/E27 standard lamp holder



Imported high-brightness energy-saving chips



Constant current stabilized power supply drive

MODEL	MHBD01-A55	MHBD01-A60	MHBD01-A60	MHBD01-A60	MHBD01-A70	MHBD01-A80
POWER	5W	7W	9W	12W	15W	18W
LUMINOUS	500lm(100lm/w)	700lm(100lm/w)	900lm(100lm/w)	1200lm(100lm/w)	1500lm(100lm/w)	1800lm(100lm/w)
SIZE	φ55*H101	φ60*H107	φ60*H107	φ60*H116	φ70*H132	φ80*H145
VOLTAGE	85-265V/AC					
CRI	>80Ra					
CCT	3000K-6000K					

DEEP ANTI-DAZZLE

DIE-CASTING LED DOWNLIGHT // 6-18W



Imported high-brightness energy-saving chips



High-quality independent drive



Seiko aluminum lamp body



Cambered surface soft light anti-glare lens



Reflective cup anti-dazzle design

MODEL	Round-6W	Square-6W	Dual-6W	Tri-6W	Qua-6W	Round-12W	Square-12W	Dual-12W
POWER	6W	6W	6W*2	6W*3	6W*4	12W	12W	12W*2
LUMINOUS	480lm(80lm/w)	480lm(80lm/w)	960lm(80lm/w)	1440lm(80lm/w)	1920lm(80lm/w)	960lm(80lm/w)	960lm(80lm/w)	1920lm(80lm/w)
SIZE	φ72*51mm	72*72*51mm	142*72*51mm	212*72*51mm	142*142*51mm	88*57mm	88*88*57mm	173*88*57mm
MODEL	Tri-12W	Qua-12W	Round-18W	Square-18W	Dual-18W	Tri-18W	Qua-18W	
POWER	12W*3	12W*4	18W	18W	18W*2	18W*3	18W*4	
LUMINOUS	2880lm(80lm/w)	3840lm(80lm/w)	1440lm(80lm/w)	1440lm(80lm/w)	2880lm(80lm/w)	4320lm(80lm/w)	5760lm(80lm/w)	
SIZE	253*88*57mm	173*173*57mm	102*57mm	102*102*57mm	210*102*57mm	312*102*57mm	210*210*57mm	
VOLTAGE: 85-265V/AC CRI: 80-90Ra CCT: 3000K-6000K								

LED SLIM PANEL

HIGH BRIGHTNESS HIGH LUMEN // 3-24W



High quality acrylic soft light mask



High transmittance optical light guide plate



Die-cast aluminum shell



Imported high-brightness energy-saving chips



Constant current stabilized power supply drive



Imported PC material lamp body



Imported Philips chips



High lumen high brightness



Classic design Exclusive patent design



IP66 professional waterproof

MODEL	WLSL-3W	WLSL-6W	WLSL-9W	WLSL-12W	WLSL-15W	WLSL-18W	WLSL-24W
POWER	3W	6W	9W	12W	15W	18W	24W
LUMINOUS	105lm(35lm/w)	360lm(60lm/w)	585lm(65lm/w)	840lm(70lm/w)	1200lm(80lm/w)	1440lm(80lm/w)	1920lm(80lm/w)
SIZE	Φ85	Φ120	Φ145	Φ170	Φ190	Φ225	Φ300
VOLTAGE	85-300V/AC						
CRI	>80Ra						
CCT	3000K-6000K						

MODEL	V-Fame-20W	V-Fame-30W	V-Fame-50W
POWER	20W	30W	50W
LUMINOUS	1900lm(95lm/w)	2900lm(95lm/w)	4800lm(95lm/w)
SIZE	L294*W92*H35	L334*W105*H35	L395*W129*H35
VOLTAGE	175-400V/AC		
CRI	80~90Ra		
CCT	3000K-6000K		

V-FAME

HIGH LUMEN LED STREET LIGHT // 20/30/50W



LED FLOOD LIGHT

IP65 WATERPROOF DESIGN // 50/100/200/300W



Constant current stabilized power supply drive



High-brightness long-life LED chip



Professional reflective components



Waterproof glass and waterproof tape



High heat dissipation aluminum alloy light box



MODEL	AL-TG-50W	AL-TG-100W	AL-TG-200W	AL-TG-300W
POWER	50W	100W	200W	300W
LUMINOUS	5500lm(110lm/w)	11000lm(110lm/w)	22000lm(110lm/w)	33000lm(110lm/w)
SIZE	210*240*60mm	235*280*65mm	280*312*70mm	310*340*70mm
VOLTAGE	220V/AC			
CRI	>65Ra			
CCT	3000K-6000K			

HIGH BAY LIGHT

IP65 WATERPROOF DESIGN // 100/150/200W



High-performance drive, waterproof protection



High brightness, long life LED lamp beads



High light transmittance goggles



High-strength die-cast aluminum lamp body



Aluminum heat sink base



MODEL	HIBVL-100W	HIBVL-150W	HIBVL-200W
POWER	100W	150W	200W
LUMINOUS	11500lm(115lm/w)	17250lm(115lm/w)	20000lm(115lm/w)
SIZE	L260*W260*H90	L310*W310*H90	L350*W350*H90
VOLTAGE	100-240V/AC		
CRI	>80Ra		
CCT	3000K-6000K		

LED TUBE

36/54/90W

HIGH BRIGHTNESS WITHOUT GLARE



Built-in high-performance driver



High brightness, long life LED lamp beads



High quality aluminum alloy light box



High translucent mask soft light without glare



High-quality material components

MODEL	LED Tube-36W	LED Tube-36W	LED Tube-54W	LED Tube-90W
POWER	36W	36W	54W	90W
LUMINOUS	2880lm(80lm/w)	2880lm(80lm/w)	4320lm(80lm/w)	7200lm(80lm/w)
SIZE	L1200*W50*H45	L1200*W70*H40	L1200*W100*H40	L1200*W100*H26
VOLTAGE	165-265V/AC			
CRI	80~90Ra			
CCT	3000K-6500K			