

VORLANE
WWW.VORLANE.COM



LED BULB, CANDLE BULB SERIES

VORLANE, YOUR DESIGN-DRIVEN PARTNER OF LED LIGHTS.
TOP SUPPLY CHAIN & ISO-CERTIFIED FACTORIES.
YOU HAVE VORLANE TEAM IN CHINA.



Model: LED A BULB

SPECIFICATIONS

Power: 5W/7W/9W/12W/15W/18W
 Voltage: 85~265V/AC
 Lumens: 100LM/W
 CRI: >80Ra
 Beam Angle: 220°
 Surge: 2.0KV
 Material: Die-Casting Aluminum+Plastic
 Lamp holder: E27/B22
 Colour Temp: 3000K(WW)/6000K(WH)

Dimension:	(5W) Φ55*H101mm
	(7W) Φ60*H107mm
	(9W) Φ60*H107mm
	(12W) Φ60*H116mm
	(15W) Φ70*H132mm
	(18W) Φ80*H145mm



Model: VL005-T BULB-A

SPECIFICATIONS

Power: 30W/40W/50W
 Voltage: 85~265V/AC
 Lumens: 100LM/W
 CRI: >80Ra
 Beam Angle: 220°
 Surge: 2.0KV
 Material: Die-Casting Aluminum+Plastic
 Lamp holder: E27/B22
 Colour Temp: 3000K(WW)/6000K(WH)

Dimension:	(30W) Φ100*H173mm
	(40W) Φ115*190mm
	(50W) Φ125*210mm



Model: VL005-T BULB-B

SPECIFICATIONS

Power: 30W/40W/50W
 Voltage: 85~265V/AC
 Lumens: 100LM/W
 CRI: >80Ra
 Beam Angle: 220°
 Surge: 2.0KV
 Material: Die-Casting Aluminum+Plastic
 Lamp holder: E27/B22
 Colour Temp: 3000K(WW)/6000K(WH)

Dimension:	(30W) Φ100*H173mm
	(40W) Φ115*190mm
	(50W) Φ125*210mm



Model: VL005-T BULB-C

SPECIFICATIONS

Power: 30W/40W/50W
 Voltage: 85~265V/AC
 Lumens: 100LM/W
 CRI: >80Ra
 Beam Angle: 220°
 Surge: 2.0KV
 Material: Die-Casting Aluminum+Plastic
 Lamp holder: E27/B22
 Colour Temp: 3000K(WW)/6000K(WH)

Dimension:	(30W) Φ100*H173mm
	(40W) Φ115*190mm
	(50W) Φ125*210mm





Model: LED Bulb -1039

SPECIFICATIONS

Power: 6W/8W
 Voltage: 170~265V/AC
 Lumens: 100LM/W
 CRI: >80Ra
 Beam Angle: 220°
 PF: ≥0.5
 Material: Aluminum + Glass
 Lamp holder: E14
 Colour Temp: 3000K(WW)/4000K(WW+WH)/6000K(WH)

Dimension:	(6W) Φ36*H100mm
	Φ36*H115mm
	(8W) Φ36*H115mm
	Φ36*H130mm



Model: LED Bulb -1028

SPECIFICATIONS

Power: 6W/8W
 Voltage: 170~265V/AC
 Lumens: 100LM/W
 CRI: >80Ra
 Beam Angle: 220°
 PF: ≥0.5
 Material: Aluminum + Glass
 Lamp holder: E14
 Colour Temp: 2700K/3000K/4100K

Dimension:	(6W) Φ36*H110mm
	Φ36*H128mm
	(8W) Φ36*H110mm
	Φ36*H128mm



Model: LED Bulb -1038

SPECIFICATIONS

Power: 8W
 Voltage: 170~265V/AC
 Lumens: 100LM/W
 CRI: >80Ra
 Beam Angle: 220°
 PF: ≥0.5
 Material: Aluminum + Glass
 Lamp holder: E14
 Colour Temp: 3000K(WW)/4000K(WW+WH)/6000K(WH)

Dimension:	(8W) Φ36*H100mm
	Φ36*H115mm



Model: LED Bulb-MDS

SPECIFICATIONS

Power: 5W
 Voltage: 170~265V/AC
 Lumens: 100LM/W
 CRI: >80Ra
 Beam Angle: 220°
 PF: ≥0.5
 Material: Aluminum + Glass
 Lamp holder: E14/E27
 Colour Temp: 3000K(WW)/4000K(WW+WH)/6000K(WH)

Dimension:	(5W) Φ50*H81mm
------------	----------------



Model: LED Bulb- G9-8W

SPECIFICATIONS

Power: 8W
 Voltage: 170~265V/AC
 Lumens: 120LM/W
 CRI: >80Ra
 Beam Angle: 200°
 PF: ≥0.5
 Material: Ceramics + PC
 Lamp holder: E14/G9
 Colour Temp: 3000K(WW)/4000K(WW+WH)/6000K(WH)

Dimension: Φ22*H65mm



Model: LED Bulb-GR-1043

SPECIFICATIONS

Power: 9W/12W/15W
 Voltage: 170~265V/AC
 Lumens: 120LM/W
 CRI: >80Ra
 Beam Angle: 200°
 PF: ≥0.5
 Material: Aluminum + Glass
 Lamp holder: E14/E27
 Colour Temp: 3000K(WW)/4000K(WW+WH)/6000K(WH)

Dimension: (9W) Φ45*H85mm
 (12W) Φ45*H105mm
 (15W) Φ45*H125mm



Model: LED Bulb-MMS

SPECIFICATIONS

Power: 8W/10W
 Voltage: 170~265V/AC
 Lumens: 120LM/W
 CRI: >80Ra
 Beam Angle: 200°
 PF: ≥0.5
 Material: Aluminum + PC
 Lamp holder: E14/E27
 Colour Temp: 3000K(WW)/4000K(WW+WH)/6000K(WH)

Dimension: (8W) Φ40*H95mm
 (10W) Φ40*H105mm



Model: LED Bulb-WYS

SPECIFICATIONS

Power: 12W
 Voltage: 170~265V/AC
 Lumens: 120LM/W
 CRI: >80Ra
 Beam Angle: 200°
 PF: ≥0.5
 Material: Aluminum + PC
 Lamp holder: E14/E27
 Colour Temp: 3000K(WW)/4000K(WW+WH)/6000K(WH)

Dimension: (12W) Φ48*H100mm





Model: LED Bulb-WYB

SPECIFICATIONS

Power: 7W/9W/12W
 Voltage: 170~265V/AC
 Lumens: 120LM/W
 CRI: >80Ra
 Beam Angle: 200°
 PF: ≥0.5
 Material: Aluminum + PC
 Lamp holder: E14/E27
 Colour Temp: 3000K(WW)/4000K(WW+WH)/6000K(WH)

Dimension: (7W) Φ30*H90mm
 (9W) Φ35*H98mm
 (12W) Φ35*H118mm



Model: LED Bulb-New WYS

SPECIFICATIONS

Power: 9W/12W
 Voltage: 170~265V/AC
 Lumens: 120LM/W
 CRI: >80Ra
 Beam Angle: 200°
 PF: ≥0.5
 Material: Aluminum + PC
 Lamp holder: E14/E27
 Colour Temp: 3000K(WW)/4000K(WW+WH)/6000K(WH)

Dimension: (9W) Φ35*H98mm
 (12W) Φ35*H118mm



VORLANE

WWW.VORLANE.COM

WELCOME
TO CALL US

Mobile: 13925366726

Email : sales@vorlane.com

