

VORLANE
WWW.VORLANE.COM



LED TUBE SERIES

VORLANE, YOUR DESIGN-DRIVEN PARTNER OF LED LIGHTS.
TOP SUPPLY CHAIN & ISO-CERTIFIED FACTORIES.
YOU HAVE VORLANE TEAM IN CHINA.



Model: LED Tube 000

SPECIFICATIONS

Power: 36W/54W/90W

Voltage: 165~265V/AC

Lumens: 80LM/W

CRI: >80Ra

PF: 0.6

Material: Aluminum+PC

Power	Dimension
36W	L1200*W50*H45
36W	L1200*W70*H40
54W	L1200*W100*H40
90W	L1200*W100*H26



Model: LED Tube Light-T8-001

SPECIFICATIONS

Power: 10W/14W/18W

Voltage: 175~265V/AC

Lumens: 80LM/W

CRI: >70Ra

PF: 0.6

Material: PVC+PC

Power	Dimension
10W	L600mm
14W	L900mm
18W	L1200mm



Model: LED Tube Light-T5-002

SPECIFICATIONS

Power: 6W/9W/13W/16W/18W

Voltage: 165~265V/AC

Lumens: 70LM/W

CRI: >70Ra

PF: 0.6

Material: Aluminum+PC

Power	Dimension
6W	L300mm
9W	L600mm
13W	L900mm
16W	L1000mm
18W	L1200mm



Model: LED Tube Light-T8-003

SPECIFICATIONS

Power: 9W/13W/18W

Voltage: 165~265V/AC

Lumens: 70LM/W

CRI: >70Ra

PF: 0.6

Material: Aluminum+PC

Power	Dimension
9W	L600mm
13W	L900mm
18W	L1200mm





Model: LED Tube Light-T8-004

SPECIFICATIONS

Power: 9W/13W/18W
 Voltage: 165~265V/AC
 Lumens: 80LM/W
 CRI: >80Ra
 PF: 0.6
 Material: Aluminum+PC

Power	Dimension
9W	L600mm
13W	L900mm
18W	L1200mm



Model: LED Tube Light-005

SPECIFICATIONS

Power: 18W/28W/36W
 Voltage: 140~265V/AC
 Lumens: 80LM/W
 CRI: >70Ra
 PF: 0.6
 Material: Iron+PP

Power	Dimension
18W	L600mm
28W	L900mm
36W	L1200mm



Model: LED Tube Light-006

SPECIFICATIONS

Power: 28W/54W/72W
 Voltage: 140~265V/AC
 Lumens: 70LM/W
 CRI: >70Ra
 PF: 0.6
 Material: Iron+PC

Power	Dimension
28W	L600mm
54W	L1200mm
72W	L1200mm



Model: LED Tube Light-007

SPECIFICATIONS

Power: 18W/36W/50W
 Voltage: 140~265V/AC
 Lumens: 70LM/W
 CRI: >70Ra
 PF: 0.6
 Material: Iron+PC

Power	Dimension
18W	L600mm
36W	L1200mm
50W	L1200mm





Model: LED Tube Light-008

SPECIFICATIONS

Power: 12W/18W/28W/36W

Voltage: 140~265V/AC

Lumens: 80LM/W

CRI: >80Ra

PF: 0.6

Material: Aluminum+PC

Power	Dimension
12W	L300mm
18W	L600mm
28W	L900mm
36W	L1200mm



Model: LED Bulb-YGS

SPECIFICATIONS

Power: 1W/2W/3W/4W

Voltage: 170~265V/AC

Lumens: 80LM/W

CRI: >80Ra

PF: 0.6

Material: Aluminum+PC

Power	Dimension
1W	L200*W40*H9mm
2W	L400*W40*H9mm
3W	L600*W40*H9mm
4W	L800*W40*H9mm





Model: LED Tube Light-009

SPECIFICATIONS

Power: 16W/18W/20W/22W/24W/30W/40W/50W/60W

Voltage: 165~265V/AC

Lumens: 100LM/W

CRI: >70Ra

PF: 0.6

Material: Aluminum+Grass

Colour Temp: 3000K/4000K/6500K

Dimension:L1200mm



Model: LED Tube Light-011

SPECIFICATIONS

Power: 16W/18W/20W/22W/24W

Voltage: 165~265V/AC

Lumens: 100LM/W


CRI: >70Ra

PF: 0.6

Material: PC

Colour Temp: 3000K/4000K/6500K

Dimension:L1200mm



Model: LED Tube Light-010

SPECIFICATIONS

Power: 18W/20W/22W/24W

Voltage: 165~265V/AC

Lumens: 100LM/W

CRI: >70Ra

PF: 0.6

Material: PC

Colour Temp: 3000K/4000K/6500K

Dimension:L1200mm



Model: LED Tube Light-012

SPECIFICATIONS

Power: 9W/15W/20W/22W/24W/30W/40W/50W/60W

Voltage: 165~265V/AC

Lumens: 100LM/W

CRI: >70Ra

PF: 0.6

Material: Aluminum+Grass

Colour Temp: 3000K/4000K/6500K

Dimension: (9W) L600mm (15W) L900mm

(20W) L900mm (22W) L1500mm

(24W) L1500mm

(30W) L900mm/L1200mm

(40W) L1200mm

(50W) L1200mm

(60W) L1200mm



VORLANE

WWW.VORLANE.COM

WELCOME
TO CALL US

Mobile: 13925366726

Email : sales@vorlane.com

